## IN THE CLAIMS

The text of all claims under examination is submitted, and the status of each is identified. This listing of claims replaces all prior versions, and listings, of claims in the application.

1. (currently amended): A coating composition comprising an effect pigment, a small particle size pigment wherein the small particle size pigment is selected from the group consisting of β-quinacridone, 2,9-dichloroquinacridone, 2,9-dimethylquinacridone, 1,4-diketo-3,6-di(4-chlorophenyl)-pyrrolo[3,4-c]pyrrole, 1,4-diketo-3,6-di(biphenyl-1-yl)-pyrrolo[3,4-c]pyrrole, 2,9-dichloroquinacridone/1,4-diketo-3,6-di(4-chlorophenyl)-pyrrolo[3,4-c]pyrrole solid solution, and 2,9-dichloroquinacridone/1,4-diketo-3,6-diphenyl-pyrrolo[3,4-c]pyrrole/1,4-diketo-3,6-di(4-chlorophenyl)-pyrrolo[3,4-c]pyrrole solid solution,

and at least one flop-enhancing agent selected from the group consisting of optionally substituted halogenated copper phthalocyanines wherein the benzene rings of the halogenated copper phthalocyanines are substituted by four or more halogens, wherein the small particle size pigment has a specific surface area in the range from 40 to 100 m2/g.

- 2. (currently amended). A coating composition of claim 1, wherein the composition comprises—mixtures having more than one flop-enhancing agent is a mixture of at least two halogenated copper phthalocyanines, a mixture of at least one halogenated copper phthalocyanine and at least one indanthrone, a mixture of at least one halogenated copper phthalocyanine and at least one carboazole dioxazine or a mixture of at least one halogenated copper phthalocyanine, at least one indanthrone and at least one carbazole dioxazine—selected from the group consisting of optionally substituted halogenated copper phthalocyanines, indanthrones and carbazole dioxazines.
- 3. (currently amended): A coating composition of claim 1, wherein the halogenated copper phthalocyanine is <u>further</u> substituted with one or more substituents selected from the group consisting of  $-NR_1R_2$ ,  $C_1-C_{10}$ alkyl and  $-X-NR_1R_2$ , wherein  $R_1$  and  $R_2$  are independently hydrogen,  $C_1-C_{10}$ alkyl or  $-X-NR_1R_2$ ,  $R_1$  and  $R_2$  are independently hydrogen or  $C_1-C_{10}$ alkyl, and X is  $C_1-C_{10}$ alkylene.
- 4. (currently amended): A coating composition of claim 2, wherein at least one the flop-enhancing agent is an indanthrone is substituted with one or more substituents selected from the group

consisting of halogen,  $-NR_1R_2$ ,  $C_1-C_{10}$ alkyl and  $-X-NR_1R_2$ , wherein  $R_1$  and  $R_2$  are independently hydrogen,  $C_1-C_{10}$ alkyl or  $-NR_1R_2$ ,  $R_1$  and  $R_2$  are independently hydrogen or  $C_1-C_{10}$ alkyl, and X is  $C_1-C_{10}$ alkylene.

5.(currently amended): A coating composition of claim 2, wherein at least one the flop-enhancing agent is a carbazole dioxazine is substituted with one or more substituents selected from the group consisting of halogen,  $-NR_1R_2$ ,  $C_1-C_{10}$ alkyl and  $-X-NR_1R_2$ , wherein  $R_1$  and  $R_2$  are independently hydrogen,  $C_1-C_{10}$ alkyl or  $-X-NR_1R_2$ ,  $R_1$  and  $R_2$  are independently hydrogen or  $C_1-C_{10}$ alkyl, and X is  $C_1-C_{10}$ alkylene.

6.(currently amended): A coating composition of claim 1, <u>further</u> comprising at least one halogenated copper phthalocyanine, an indanthrone and a carbazole dioxazine compound, each of which are unsubstituted or have one or more substituents selected from the group consisting of halogen, -NR<sub>1</sub>R<sub>2</sub>, C<sub>1</sub>-C<sub>10</sub>alkyl and -X-NR<sub>1</sub>R<sub>2</sub>, wherein R<sub>1</sub> and R<sub>2</sub> are independently hydrogen, C<sub>1</sub>-C<sub>10</sub>alkyl or -X-NR<sub>1</sub>R<sub>2</sub>, R<sub>1</sub> and R<sub>2</sub> are independently hydrogen or C<sub>1</sub>-C<sub>10</sub>alkyl, and X is C<sub>1</sub>-C<sub>10</sub>alkylene.

7-8. (cancelled).

- **9**. (currently amended): A coating composition of claim-**8**\_1, wherein the small particle size pigment is a 2,9-dichloroquinacridone/1,4-diketo-3,6-di(4-chlorophenyl)-pyrrolo[3,4-c]pyrrole solid solution.
- 10.(currently amended): A pigment composition which comprises a transparent pigment and from 0.1 to 10% by weight, based on the weight of the composition, of at least one flop-enhancing agent selected from the group consisting of halogenated copper phthalocyanines wherein the benzene rings of the halogenated copper phthalocyanines are substituted by four or more halogens and the transparent pigment is selected from the group consisting of β-quinacridone, 2,9-dichloroquinacridone, 2,9-dimethylquinacridone, 1,4-diketo-3,6-di(4-chlorophenyl)-pyrrolo[3,4-c]pyrrole, 1,4-diketo-3,6-di(4-chlorophenyl)-pyrrolo[3,4-c]pyrrole solid solution, and 2,9-dichloroquinacridone/1,4-diketo-3,6-diphenyl-pyrrolo[3,4-c]pyrrole/1,4-diketo-3,6-di(4-chlorophenyl)-pyrrolo[3,4-c]pyrrole solid solution.
- 11. (currently amended): A pigment composition of claim 10, wherein the benzene rings of the <u>halogenated copper</u> phthalocyanine are <u>further\_unsubstituted or</u> substituted by one or more substituents selected from the group consisting of -NR<sub>1</sub>R<sub>2</sub>, C<sub>1</sub>-C<sub>10</sub>alkyl and -X-NR<sub>1</sub>R<sub>2</sub>, wherein R<sub>1</sub> and

 $R_2$  are independently hydrogen,  $C_1$ - $C_{10}$ alkyl or -X- $NR_1$ - $R_2$ -,  $R_1$ - and  $R_2$ - are independently hydrogen or  $C_1$ - $C_{10}$ alkyl, and X is  $C_1$ - $C_{10}$ alkylene.

**12**. (original): A pigment composition of claim **11**, further comprising a second flop-enhancing agent, wherein the second flop-enhancing agent is an indanthrone, wherein the benzene ring of the flop-enhancing indanthrone is unsubstituted or substituted by one or more substituents selected from the group consisting of halogen,  $-NR_1R_2$ ,  $C_1-C_{10}$ alkyl and  $-X-NR_1R_2$ , wherein  $R_1$  and  $R_2$  are independently hydrogen,  $C_1-C_{10}$ alkyl or  $-X-NR_1R_2$ ,  $R_1$  and  $R_2$  are independently hydrogen or  $C_1-C_{10}$ alkyl, and X is  $C_1-C_{10}$ alkylene.

**13**.(original): A pigment composition of claim **11**, further comprising a second flop-enhancing agent wherein the second flop-enhancing agent is carbazole dioxazine, wherein the benzene ring of the flop-enhancing carbazole dioxazine is unsubstituted or substituted by one or more substituents selected from the group consisting of halogen,  $-NR_1R_2$ ,  $C_1-C_{10}$ alkyl and  $-X-NR_1R_2$ , wherein  $R_1$  and  $R_2$  are independently hydrogen,  $C_1-C_{10}$ alkyl or  $-X-NR_1R_2$ ,  $R_1$  and  $R_2$  are independently hydrogen or  $C_1-C_{10}$ alkyl, and X is  $C_1-C_{10}$ alkylene.

14. (currently amended): A pigment composition of claim 10, <u>further</u> comprising a halogenated copper phthalocyanine, an indanthrone and at least one carbazole dioxazine compound flopenhancing agents, wherein the benzene rings of the indanthrone and carbazole dioxazine flopenhancing agents are unsubstituted or substituted by one or more substituents selected from the group consisting of halogen, -NR<sub>1</sub>R<sub>2</sub>, C<sub>1</sub>-C<sub>10</sub>alkyl and -X-NR<sub>1</sub>·R<sub>2</sub>, wherein R<sub>1</sub> and R<sub>2</sub> are independently hydrogen, C<sub>1</sub>-C<sub>10</sub>alkyl or -X-NR<sub>1</sub>·R<sub>2</sub>, R<sub>1</sub>· and R<sub>2</sub> are independently hydrogen or C<sub>1</sub>-C<sub>10</sub>alkyl, and X is C<sub>1</sub>-C<sub>10</sub>alkylene, wherein the benzene rings of the halogenated copper phthalocyanine flop-enhancing agent <u>are is unsubstituted or further</u> substituted by one or more substituents selected from the group consisting of NR<sub>1</sub>R<sub>2</sub>, C<sub>1</sub>-C<sub>10</sub>alkyl and -X-NR<sub>1</sub>·R<sub>2</sub>, wherein R<sub>1</sub> and R<sub>2</sub> are independently hydrogen, C<sub>1</sub>-C<sub>10</sub>alkyl or -X-NR<sub>1</sub>·R<sub>2</sub>, R<sub>1</sub>· and R<sub>2</sub>· are independently hydrogen or C<sub>1</sub>-C<sub>10</sub>alkyl, and X is C<sub>1</sub>-C<sub>10</sub>alkylene.

- 15. (cancelled).
- 16. (original): A pigment composition of claim 10, further comprising an effect pigment.
- 17. (cancelled).

- **18**. (currently amended): A pigment composition of claim **47**\_**10**, wherein the transparent pigment is a 2,9-dichloroquinacridone/1,4-diketo-3,6-di(4-chlorophenyl)-pyrrolo[3,4-c]pyrrole solid solution and the flop-enhancing agent is Pigment Green 7.
- **19**. (currently amended): A pigment composition of claim **47**\_**10**, wherein the transparent pigment is 2,9-dichloroquinacridone/1,4-diketo-3,6-di(4-chlorophenyl)-pyrrolo[3,4-c]pyrrole solid solution and the flop-enhancing agent is Pigment Green 36.
- **20**. (original): A pigment composition of claim **15**, which further comprises a rheology improving agent selected from the group consisting of pyrazolylmethylquinacridone, aluminum quinacridone monosulfonate and mixtures thereof.
- 21. (currently amended): A method of enhancing the flop of a polymeric coating containing an effect pigment and a transparent pigment, which comprises incorporating a flop-enhancing agent into the polymeric coating, wherein the flop-enhancing agent is a selected from the group consisting of halogenated copper phthalocyaninesf halogenated copper phthalocyanine wherein the benzene rings of the halogenated copper phthalocyanine are substituted by four or more halogens and the transparent pigment is selected from the group consisting of β-quinacridone, 2,9-dichloroquinacridone, 2,9-dimethylquinacridone, 1,4-diketo-3,6-di(4-chlorophenyl)-pyrrolo[3,4-c]pyrrole, 1,4-diketo-3,6-di(4-chlorophenyl)-pyrrolo[3,4-c]pyrrole solid solution, and 2,9-dichloroquinacridone/1,4-diketo-3,6-diphenyl-pyrrolo[3,4-c]pyrrole/1,4-diketo-3,6-di(4-chlorophenyl)-pyrrolo[3,4-c]pyrrole solid solution.
- **22**. (original): A coating composition of claim **1**, wherein the effect pigment is selected from the group consisting of coated micas, uncoated micas, aluminum flakes, multilayered color shifting flake pigments, and graphite flakes.